REMARKS

Claims 1-27, 42-43, 48-50, 52-65, and 68-114 were pending in the present application. By virtue of this response, claims 88-92 and 94-97 have been amended. Accordingly, claims 1-27, 42-43, 48-50, 52-65, and 68-114 are under consideration. Amendment of certain claims is not to be construed as a dedication to the public of any of the subject matter of the claims as previously presented.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached pages are entitled "<u>VERSION WITH MARKINGS TO SHOW</u>

CHANGES MADE."

CONCLUSION

In the unlikely event that the transmittal letter is separated from this document and the Patent Office determines that an extension and/or other relief is required, applicants petitions for any required relief including extensions of time and authorizes the Assistant Commissioner to charge the cost of such petitions and/or other fees due in connection with the filing of this document to **Deposit Account No. 03-1952** referencing docket no. 441742000102. However, the Assistant Commissioner is not authorized to charge the cost of the issue fee to the Deposit Account.

By:

Respectfully submitted,

Dated: September 11, 2002

Registration No. 45,565

Morrison & Foerster LLP 755 Page Mill Road

Palo Alto, California 94304-1018

Telephone: (650) 813-5786 Facsimile: (650) 494-0792

VERSION WITH MARKINGS TO SHOW CHANGES MADE

In the Claims

Please amend claims 88-92 and 94-97, as shown below.

88. (Amended) A method of magnetically deploying a [bypass] <u>tubular</u> graft comprising:

[forming a first opening through a tissue wall defining a body lumen via a tissue perforating mechanism;]

engaging [the] <u>a</u> tissue wall [at a location spaced apart from the first opening] between a proximal attractive element and a distal attractive element [disposed along the body lumen];

forming [a second] <u>an</u> opening through the tissue wall [at said location with said mechanism] <u>with a tissue perforating mechanism</u>; and

attaching [an end of] a tubular graft to the [second] <u>tissue wall at the</u> opening such that the tubular graft and the body lumen are in communication.

- 89. (Amended) The method of claim 88 further comprising advancing an elongate catheter intralumenally toward a selected site along the body lumen prior to forming the [first] opening through the tissue wall.
- 90. (Amended) The method of claim 88 wherein prior to engaging the tissue wall [at the location spaced apart from the first opening], the method further comprises:

advancing the tissue perforating mechanism through [the first] a second opening [to the location] spaced apart from the [first] opening; and

positioning the tissue perforating mechanism over the location via a magnetic force exerted on the mechanism.

- 91. (Amended) The method of claim 88 further comprising advancing a graft guide distally through the [first] opening [to said location and through the second opening] prior to attaching the end of the tubular graft to the [second] opening.
- 92. (Amended) The method of claim 91 further comprising advancing the tubular graft along the guide via a graft controller to a bypass position [in which the graft extends through the first opening to the second opening] prior to attaching [the end of] the tubular graft to the [second] opening.
- 94. (Amended) The method of claim 91 wherein said graft guide comprises a distal region of the catheter, and the step of advancing the graft guide comprises distally advancing the catheter until the distal region of the catheter extends through the [first and second openings] opening.
- 95. (Amended) The method of claim [88] 90 wherein the first and second openings are formed through tissue walls of a first blood vessel and a second blood vessel, respectively, and whereby the graft, when secured, provides a fluid conduit coupling the first and second blood vessels.
- 96. (Amended) The method of claim 88 wherein [at least one of] the [openings] opening is through an organ tissue wall into a cavity of an organ.
- 97. (Amended) The method of claim 88 further comprising positioning the distal attractive element at the [location] opening within the body lumen.